L Number	Hits	Search Text	DB	Time stamp
1	8	"6073138"	USPAT;	2003/01/23 11:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
2	5	(("6320166") or ("6408295")).PN.	USPAT;	2003/01/23 11:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(////	IBM_TDB	0000 (00 (00 00
3	4	(("6230166") or ("6408295")).PN.	USPAT;	2003/01/23 11:01
]			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	365	transaction with (load parse map) with	USPAT;	2003/01/21 16:27
		(table relation database)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	577	,	USPAT;	2003/01/21 16:12
		(table relation database)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	0000/55/55
-	298	'	USPAT;	2003/01/21 16:16
		(table relation database)) and (group order) with transaction	US-PGPUB;	
		with transaction	EPO; JPO; DERWENT;	
			IBM TDB	
_	70	((transaction with (load\$4 pars\$4 map\$3)	USPAT;	2003/01/21 16:17
	, ,	with (table relation database)) and (group	US-PGPUB;	2003/01/21 10:1/
		order) with transaction) and (time\$2stamp	EPO; JPO;	
		time adj stamp)	DERWENT;	
		· · ·	IBM TDB	
-	22		USPAT;	2003/01/21 16:18
		with (table relation database)) and (group	US-PGPUB;	
		order) with transaction) and (time\$2stamp)	EPO; JPO;	
			DERWENT;	
_	35	trangagtion near (load names man) near	IBM_TDB	2002/01/01 16 05
-	33	transaction near (load parse map) near5 (table relation database)	USPAT; US-PGPUB;	2003/01/21 16:27
		(table lefation database)	EPO; JPO;	]
			DERWENT;	
	}		IBM TDB	
-	35	(transaction near (load parse map) near5	USPAT;	2003/01/21 16:32
		(table relation database)) not	US-PGPUB;	,,
		(((transaction with (load\$4 pars\$4 map\$3)	EPO; JPO;	
		with (table relation database)) and (group	DERWENT;	
		order) with transaction) and (time\$2stamp))	IBM_TDB	
-	155	association with data with mining	USPAT;	2003/01/21 16:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	6	(association with data with mining) and	IBM_TDB	2002/01/21 16 22
		timestamp	USPAT; US-PGPUB;	2003/01/21 16:32
			EPO; JPO;	
	,		DERWENT;	
			IBM TDB	]
-	23	(association with data with mining) and	USPAT;	2003/01/21 16:33
		(time\$2stamp time adj stamp)	US-PGPUB;	12, 12, 22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	(transaction sale) with association with	USPAT;	2003/01/21 16:56
		data with mining	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	0	load\$3 with transaction with databae	USPAT; US-PGPUB;	2003/01/21 16:56
			EPO; JPO; DERWENT; IBM TDB	
-	232	load\$3 with transaction with database	USPAT; US-PGPUB;	2003/01/21 16:56
			EPO; JPO; DERWENT; IBM TDB	
-	56	(load\$3 with transaction with database) and transaction with (group cluster)	USPAT; US-PGPUB;	2003/01/21 16:57
			EPO; JPO; DERWENT; IBM TDB	
-	17	(load\$3 with transaction with database) and mining	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 17:02
	_		DERWENT; IBM_TDB	
-	0	tranaction with (translation transformation) with (realtion database table)	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 17:03
-	148	transaction with (translation	DERWENT; IBM_TDB USPAT;	2003/01/21 17:03
		transformation) with (realtion database table)	US-PGPUB; EPO; JPO; DERWENT;	
-	6	transformation) with (realtion database	IBM_TDB USPAT; US-PGPUB;	2003/01/21 17:04
		table)) and mining	EPO; JPO; DERWENT; IBM TDB	
-	4	((transaction near (load parse map) near5 (table relation database)) not (((transaction with (load\$4 pars\$4 map\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 17:06
		with (table relation database)) and (group order) with transaction) and (time\$2stamp))) and transaction near5 group	DERWENT; IBM_TDB	
-	16	(transaction with (translation transformation) with (realtion database table)) and transaction near5 group	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 17:09
_	8	(transaction with (translation	DERWENT; IBM_TDB USPAT;	2003/01/21 17:09
		transformation) with (realtion database table)) and group with id	US-PGPUB; EPO; JPO; DERWENT;	
-	13	(transaction with (translation transformation) with (realtion database	IBM_TDB USPAT; US-PGPUB;	2003/01/21 17:25
		table)) and group with (id identifier)	EPO; JPO; DERWENT; IBM_TDB	
-	57 5	5202977.URPN.   ("4667290"   "4729096"   "4787035"     "4860203"   "4951196").PN.	USPAT USPAT	2003/01/21 17:10 2003/01/21 17:21
-	57 4587	,	USPAT USPAT;	2003/01/21 17:21 2003/01/21 17:26
		identifier)	US-PGPUB; EPO; JPO; DERWENT;	=::30
-	1985	(transaction same ((group item) with id identifier)) and (transaction with data\$2base data adj (house store) DB DBMS)	IBM_TDB USPAT; US-PGPUB;	2003/01/21 17:28
		accayabase data adj (House Store) DB DBMS)	EPO; JPO; DERWENT; IBM_TDB	

-	1668	, , <u>, , , , , , , , , , , , , , , , , </u>	USPAT;	2003/01/21 17:28
		identifier)) and (transaction with	US-PGPUB;	<u>.</u>
		(data\$2base data adj (house store) DB DBMS))	EPO; JPO;	į .
			DERWENT;	
	1	//b	IBM_TDB	2002/01/01 15 00
<del>-</del>	136	((transaction same ((group item) with id	USPAT;	2003/01/21 17:29
1		identifier)) and (transaction with	US-PGPUB;	ŀ
]		(data\$2base data adj (house store) DB	EPO; JPO;	
]		DBMS))) and mining	DERWENT;	
	651		IBM_TDB	2002/01/01 15 00
1 -	651	((transaction same ((group item) with id	USPAT;	2003/01/21 17:29
		identifier)) and (transaction with	US-PGPUB;	
		(data\$2base data adj (house store) DB   DBMS))) and load	EPO; JPO; DERWENT;	
		DBMS/// and Toad		
_	301	((transaction same ((group item) with id	IBM_TDB USPAT;	2003/01/21 17:30
		identifier)) and (transaction with	US-PGPUB;	2003/01/21 17:30
		(data\$2base data adj (house store) DB	EPO; JPO;	
	•	DBMS))) and (time\$2stamp (time adj stamp))	DERWENT;	
		BBrist     and termet23 tamp terme adj stamp	IBM TDB	
-	44	(((transaction same ((group item) with id	USPAT;	2003/01/21 17:32
		identifier)) and (transaction with	US-PGPUB;	=====================================
		(data\$2base data adj (house store) DB	EPO; JPO;	
		DBMS))) and mining) and (((transaction same	DERWENT;	
		((group item) with id identifier)) and	IBM TDB	
		(transaction with (data\$2base data adj		
		(house store) DB DBMS))) and (time\$2stamp		
		(time adj stamp)))		
-	1879	transaction with session	USPAT;	2003/01/21 17:32
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	37	transaction with group with session	USPAT;	2003/01/21 17:38
	İ		US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	804	transaction near2 group	USPAT;	2003/01/21 17:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	77	(hmangaghian manua) and (him ad-	IBM_TDB	0000/01/01 15 10
_	''	(transaction near2 group) and (time adj stamp time?\$2stamp)	USPAT;	2003/01/21 17:40
1		Scamp CIME: 928camp)	US-PGPUB; EPO: JPO:	
			DERWENT;	
			IBM TDB	
-	74	((transaction near2 group) and (time adj	USPAT;	2003/01/21 17:40
		stamp time?\$2stamp)) and order	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	33	(((transaction near2 group) and (time adj	USPAT;	2003/01/21 17:45
		stamp time?\$2stamp)) and order) and (load	US-PGPUB;	
		map) with (table database)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	parse with transaction with table	USPAT;	2003/01/22 06:50
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	100	map with transaction with table	USPAT;	2003/01/22 06:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	1		IBM_TDB	

-	11	(map with transaction with table) and (time?\$2stamp time adj stamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 06:54
-	115	transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:55
-	107	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and table	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:55
-	77	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and (database db DBMS)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:55
-	66	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and relation	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:56
-	25	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and group with transaction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:56
-	22	((transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and group with transaction) and ((transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 07:00
_	21	<pre>adj stamp)) and table) (transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and session with transaction</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:01
-	4	(transaction near2 (log data information)) with (load near2 (database db DBMS table tuple relation))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:03
-	4	(transaction near2 (log data)) with (load near2 (database db DBMS table tuple relation))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:06
-	40	transaction with (load near2 (database db DBMS table tuple relation))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:08
_	397	pars\$3 with transaction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:35
-	10	(pars\$3 with transaction) and parse with table	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:09
-	6004	affinity with analy\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:36
			IBM_TDB	

-	1	(affinity with analy\$3) and (pars\$3 with transaction)	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 07:38
			DERWENT; IBM TDB	
-	3	(affinity with analy\$3) with transaction	USPAT; US-PGPUB;	2003/01/22 07:39
			EPO; JPO;	
	_	(-55i-itit	DERWENT; IBM_TDB	
-	5	(affinity with analy\$3) same transaction	USPAT; US-PGPUB;	2003/01/22 07:43
			EPO; JPO; DERWENT;	
_	1	(affinity with analy\$3) same transaction	IBM_TDB USPAT;	2003/01/22 07:43
		near group	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	4	(affinity with analy\$3) and transaction near group	USPAT; US-PGPUB;	2003/01/22 07:45
			EPO; JPO; DERWENT;	
_	3	(affinity with analy\$3) and transaction with	IBM_TDB USPAT;	2003/01/22 07:45
		session	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	4	(affinity with analy\$3) and transaction same session	USPAT; US-PGPUB;	2003/01/22 07:48
			EPO; JPO; DERWENT;	
_	241	transaction with (affinit\$3 (associat\$3	IBM_TDB USPAT;	2003/01/22 07:49
		near3 rule))	US-PGPUB; EPO; JPO;	2003/01/22 07.43
			DERWENT; IBM TDB	
-	162	(transaction with (affinit\$3 (associat\$3 near3 rule))) and (group or session)	USPAT; US-PGPUB;	2003/01/22 07:49
		deale lale,,, and (group of Bession,	EPO; JPO; DERWENT;	
_	119	((transaction with (affinit\$3 (associat\$3	IBM_TDB	2002/01/22 07 50
		near3 rule))) and (group or session)) and table	USPAT; US-PGPUB;	2003/01/22 07:50
		table	EPO; JPO; DERWENT;	
-	50	(((transaction with (affinit\$3 (associat\$3 near3 rule))) and (group or session)) and	IBM_TDB USPAT;	2003/01/22 08:36
		table) and load	US-PGPUB; EPO; JPO;	
_	3294	transaction near3 (id or identifier)	DERWENT; IBM_TDB	2002/07/22
	3294	(id or identifier)	USPAT; US-PGPUB;	2003/01/22 08:37
	ii		EPO; JPO; DERWENT;	
-	923	(transaction near3 (id or identifier)) and	IBM_TDB USPAT;	2003/01/22 08:37
		(store or load) with database	US-PGPUB; EPO; JPO;	
		(	DERWENT; IBM_TDB	
_	64	(pars\$3 with transaction) and ((transaction near3 (id or identifier)) and (store or	USPAT; US-PGPUB;	2003/01/22 08:37
	į	load) with database)	EPO; JPO; DERWENT;	
			IBM_TDB	

-	0	tansaction same (group near3 session)	USPAT;	2003/01/22 09:40
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	tansaction and (group near3 session)	USPAT;	2003/01/22 09:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	tansaction and (group near3 session)	USPAT;	2003/01/22 09:40
1			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	ŀ
1			IBM_TDB	
-	19	transaction same (group near3 session)	USPAT;	2003/01/22 09:49
İ			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1	_	("	IBM_TDB	
-	7		USPAT	2003/01/22 09:47
		"4908761"   "5227874"   "5430644"		
		"5615342").PN.		
-	0	(transaction same (group near3 session)) and	USPAT;	2003/01/22 09:50
1		time?\$3stamp	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	1
1			IBM_TDB	
-	0	transaction same (time?\$3stamp) with group	USPAT;	2003/01/22 09:50
			US-PGPUB;	i
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	(transaction same (group near3 session)) and	USPAT;	2003/01/22 09:51
		(time?\$3stamp (time adj stamp))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	transaction same (time?\$3stamp (time adj	USPAT;	2003/01/22 09:51
		stamp)) with group	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	_	F070410	IBM_TDB	/
1 -	1	5878419.pn. and group	USPAT;	2003/01/22 13:37
1	1		US-PGPUB;	
1	1		EPO; JPO;	
			DERWENT;	
1_	1	trangagtion() with data with around() with	IBM_TDB	2002/01/02 12 22
-	45	transaction\$3 with data with group\$2 with order\$3	USPAT;	2003/01/22 13:38
		Oraciàs	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	100	transaction\$3 with group\$2 with order\$3	IBM_TDB	2002/01/22 12 12
İ		crangaccions with Groups with Orders?	USPAT;	2003/01/22 13:42
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	58	transaction\$3 near2 group\$2 with order\$3	IBM_TDB	2002/01/22 12 12
	, ,	cransactions nearz groupsz with ordersz	USPAT;	2003/01/22 13:43
			US-PGPUB;	
	[		EPO; JPO;	
	]		DERWENT;	
_	58	(transaction\$3 near2 group\$2) with order\$3	IBM_TDB	2002/01/22 12 52
		(cranbactions) hears groupss, with orders	USPAT; US-PGPUB;	2003/01/22 13:53
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
			TDM IDR	

Page 6

- 7	((transaction\$3 near2 group\$2) with order\$3)	USPAT;	2003/01/22 13:55
j	<pre>and (time?\$stamp\$2 (time adj stamp\$2))</pre>	US-PGPUB; EPO; JPO;	
		DERWENT; IBM_TDB	
- 101	<pre>(transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 14:04
- 83	((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db	IBM_TDB USPAT; US-PGPUB;	2003/01/22 14:05
	DBMSdatabase or table)	EPO; JPO; DERWENT; IBM_TDB	
97	((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:05
71	<pre>((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and order\$3 with transaction\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:07
- 27	(((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)) and order\$3 with group	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 14:05
32	(((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and order\$3 with transaction\$3) and session	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:09
- 9310	transaction\$3 with (affinit\$2 or associat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:10
- 57	<pre>(transaction\$3 with (affinit\$2 or associat\$4)) and ((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:34
- 16	("4503535"   "4570261"   "4633467"   "4648031"   "4665520"   "4821175"   "5140689"   "5247664"   "5261089"   "5280612"   "5291594"   "53333314"   "5452445"   "5553280"   "5561797"   "5581750").PN.	USPAT	2003/01/22 14:15
	5729733.URPN.	USPAT	2003/01/22 14:16
841	<pre>(order group) near5 ((time adj stamp) time?\$2stamp)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:36
- 959	<pre>(order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:39
771	<pre>((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:40
- 183	(((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 14:41

-	164	time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session) and	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 14:42
	ŀ	(earl\$3 lat\$3)	DERWENT;	
_	20	((((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/22 14:44
	80	(earl\$3 lat\$3) near4 order\$3	DERWENT; IBM_TDB USPAT;	2003/01/22 14:45
	80	order\$3	US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 14:45
-	20	(transaction near4 (earl\$3 lat\$3) near4 order\$3) and group with transaction	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:33
_	2	5974396.pn. and group	DERWENT; IBM_TDB USPAT;	2003/01/22 14:54
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	4	contact with infor	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:33
-	3055	contact with pathway	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:33
_	0	adress with book and (contact with pathway)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:34
-	0	adress with (contact with pathway)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/01/22 16:33
-	3	address with book and (contact with pathway)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/01/22 16:34
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	_2	6073138\$.did.	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:37
_	20105	concatenat\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/22 16:37
-	14	concatenat\$3 with order with item	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/01/22 16:39
-	483	concatenat\$3 with id	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/01/22 16:43
			US-PGPUB; EPO; JPO; DERWENT;	12, 12, 13
	L		IBM_TDB	

-	208	(concatenat\$3 with id) and transaction	USPAT;	2003/01/22 16:39
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	8	(concatenat\$3 with id) and transaction with	USPAT;	2003/01/22 16:43
		group	US-PGPUB;	2003, 01, 22 20. 10
		5 <u>F</u>	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8	(concatenat\$3 with id) and transaction\$3	USPAT;	2003/01/22 16:44
		with group	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
	000	conceptantes with (id on identifien)	IBM_TDB	2002/02/22 17 10
-	923	concatenat\$3 with (id or identifier)	USPAT;	2003/01/22 17:10
		·	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	69	(concatenat\$3 with (id or identifier)) and	USPAT;	2003/01/22 16:46
		((product or item) near (id or identifier))	US-PGPUB;	2003, 02, 22 20:10
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	18	(concatenat\$3 with (id or identifier)) and	USPĀT;	2003/01/22 16:45
		transaction\$3 with group	US-PGPUB;	
	:		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	concatenat\$3 with order with item	USPAT;	2003/01/22 16:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2073	concatenat\$3 with ((product or	USPAT;	2003/01/22 16:49
		purchase) order)	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	1	, ('France or Farence', am')	USPAT;	2003/01/22 16:51
		order)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	concatenate? with ((product or purchase)	IBM_TDB	2003/01/22 16 52
	·	concatenat\$3 with ((product or purchase) adj4 order)	USPAT; US-PGPUB;	2003/01/22 16:52
			EPO; JPO;	
			DERWENT;	
			IBM TDB	•
-	60	concatenat\$3 with (order adj4 number)	USPAT;	2003/01/22 16:57
			US-PGPUB;	
}			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	
-	26	(concatenat\$3 with (order adj4 number)) and	USPAT;	2003/01/22 16:53
		transaction	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	26	(concatenat\$3 with (order adj4 number)) and	USPAT;	2003/01/22 16:53
		transaction\$3	US-PGPUB;	2003,01/22 10:33
		· ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	concatenat\$3 with (order adj4 (number	USPAT;	2003/01/22 16:59
		identifier id)) with ((item product) adj4	US-PGPUB;	
	,	(number identifier id))	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	5	concatenat\$3 with (order adj4 (number	USPAT;	2003/01/22 17:01
		identifier id)) same ((item product) adj4	US-PGPUB;	1
		(number identifier id))	EPO; JPO;	<b>†</b>
			DERWENT;	1
			IBM_TDB	
-	132	concatenat\$3 with unique with identifier	USPAT;	2003/01/22 17:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	
<del>-</del>	5	(concatenat\$3 with unique with identifier)	USPAT;	2003/01/22 17:07
		and (transaction with group)	US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	]
	-	(	IBM_TDB	2002/01/02 17 07
-	5	,	USPAT;	2003/01/22 17:07
	ŀ	and (transaction\$4 with group)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
	5	/gangatanatéa with unique with identifical	IBM_TDB	2003/01/22 17:07
-	) 3	1 ,	USPAT;	2003/01/22 17:07
	1	and (transaction\$4 with (group session))	US-PGPUB;	
			EPO; JPO; DERWENT;	
_	5	concatenat\$3 with (transaction\$4 with (group	IBM_TDB USPAT;	2003/01/22 17:10
	3	session))	US-PGPUB;	2003/01/22 17:10
		Session,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	24	concatenat\$3 with ((product or item) near	USPAT;	2003/01/23 07:14
1		(number id or identifier))	US-PGPUB;	2003/01/23 07:14
		(number id or identifier)	EPO; JPO;	İ
			DERWENT;	
	ŀ		IBM TDB	
_	27	concatenat\$3 with ((order) near (number id	USPAT;	2003/01/23 07:47
		or identifier))	US-PGPUB;	2003, 01, 23 0, 11,
			EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	119	707/7 and concatenat\$3	USPAT;	2003/01/23 07:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	86	( · · · / · · · · · · · · · · · · · · ·	USPAT;	2003/01/23 07:26
		purchas\$3 or product\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2225		IBM_TDB	
-	9798	(product purhcase transaction) and	USPAT;	2003/01/23 07:47
		concatenat\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1355	(Inroduct nurhones transcritical)	IBM_TDB	2002/01/02 == :=
_	1355	((product purhcase transaction) and	USPAT;	2003/01/23 07:48
		<pre>concatenat\$3) and (concatenat\$3 near5   (number id or identifier))</pre>	US-PGPUB;	[
		(wamper id of idelifities))	EPO; JPO;	
			DERWENT; IBM TDB	
<u>-</u>	1306	(product purhcase transaction) same	USPAT;	2003/01/23 07:48
		concatenat\$3	US-PGPUB;	2003/01/23 07:48
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	256	((product purhcase transaction) same	USPAT;	2003/01/23 07:48
	[	concatenat\$3) and (concatenat\$3 near5	US-PGPUB;	
	]	(number id or identifier))	EPO; JPO;	
	[		DERWENT;	
			IBM TDB	

-	28	1 · · · · · · · · · · · · · · · · · · ·	USPAT;	2003/01/23	07:50
		concatenat\$3) and (concatenat\$3 near5	US-PGPUB;		
		(number id or identifier))) and item same	EPO; JPO;		
		order	DERWENT;		
	0	(order\$2 adj3 (number or id identifier))	IBM_TDB	2002/01/22	00.04
-	1		USPAT;	2003/01/23	08:04
1		with concatenat\$4 with ((item\$2 product\$2) adj3 (number or id identifier))	US-PGPUB; EPO; JPO;		
		adjo (number of id identifier)	DERWENT;		
-			IBM TDB		
-	9	(order\$2 with (number or id identifier))	USPAT;	2003/01/23	08 - 10
		with concatenat\$4 with ((item\$2 product\$2)	US-PGPUB;	2003,01,23	00.10
		with (number or id identifier))	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	92	support with lift with join	USPAT;	2003/01/23	08:10
		-	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	6	pr	USPAT;	2003/01/23	09:01
		with table	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	0	6061600 mm and gumnaut with take	IBM_TDB	5000 (00 (00	
-	١	6061682.pn. and support with table	USPAT;	2003/01/23	09:02
			US-PGPUB;		
			EPO; JPO;   DERWENT;		
			IBM TDB		
-	1	6061682.pn. and table	USPAT;	2003/01/23	09.03
			US-PGPUB;	2003, 01, 23	05.05
			EPO; JPO;	,	
			DERWENT;		
			IBM_TDB		
-	2	6061682.pn. and support	USPAT;	2003/01/23	09:16
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
1_	.	5074306 nn and (ioin an arrathmeta)	IBM_TDB	0000/01/01	
-	1	5974396.pn. and (join or concatenat\$3)	USPAT;	2003/01/23	09:17
	]		US-PGPUB; EPO; JPO;		
			DERWENT;	ľ	
			IBM TDB		
-	33	(US-6408303-\$ or US-6052672-\$ or	USPAT;	2003/01/23	09-17
		US-6278998-\$ or US-6236982-\$ or US-6408295-\$	US-PGPUB		33.11
		or US-6301575-\$ or US-6061682-\$ or			
		US-5615341-\$ or US-5724573-\$ or US-6141699-\$			
		or US-6014647-\$ or US-5557780-\$ or			
		US-5878419-\$ or US-6032147-\$ or US-6446092-\$			
		or US-6351744-\$ or US-5754845-\$ or			
		US-5283897-\$ or US-5974396-\$ or US-5729733-\$			
		or US-6286011-\$ or US-6230166-\$ or			
		US-5675784-\$ or US-4578530-\$ or US-6418446-\$			
		or US-6389403-\$).did. or (US-5924094-\$ or			
		US-5241648-\$).did. or (US-20020103660-\$ or			
		US-20020174087-\$ or US-20020016771-\$ or			
		US-20020082886-\$ or US-20020111870-\$).did.			

[ <del>-</del>	14	((US-6408303-\$ or US-6052672-\$ or	USPAT;	2003/01/23 09:39
		US-6278998-\$ or US-6236982-\$ or US-6408295-\$	US-PGPUB;	2000,02,20
		or US-6301575-\$ or US-6061682-\$ or	EPO; JPO;	
		US-5615341-\$ or US-5724573-\$ or US-6141699-\$	DERWENT;	
	]	or US-6014647-\$ or US-5557780-\$ or	IBM_TDB	
		US-5878419-\$ or US-6032147-\$ or US-6446092-\$		
	İ	or US-6351744-\$ or US-5754845-\$ or		
		US-5283897-\$ or US-5974396-\$ or US-5729733-\$		
		or US-6286011-\$ or US-6230166-\$ or		
		US-5675784-\$ or US-4578530-\$ or US-6418446-\$		
		or US-6389403-\$).did. or (US-5924094-\$ or		
		US-5241648-\$).did. or (US-20020103660-\$ or		
		US-20020174087-\$ or US-20020016771-\$ or	<u> </u>	
		US-20020082886-\$ or US-20020111870-\$).did.)   and concatenat\$3		
_	,	6061682.pn. and divid\$3	USPAT;	2003/01/23 09:39
	*	ooolooz.pm. and alviaça	US-PGPUB;	2003/01/23 09:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	